

Technical Commercial data Sheet

ECOPRIVER

Water based bituminous primer



Packaging

20 kg metal tins, on request available also in different sizes.

Description

Adhesion under-layer based on bituminous gel in water emulsion.

Application

- Use Personal Protective Equipment as requested by law;
- Clean properly the surface on which membranes has to be applied;
- Minimum slope > 3%, avoid water stagnation;
- Use on bituminous membranes after 60 days from their application, excluding the ones finished with BITUVER DECOTEX treatment;
- Suitable to occasionally walkable surfaces;
- Apply minimum 2 hand, better if crossing. Apply the second hand after that the first one is dried, in average after 12 hours;
- Apply between +5°C and + 35°C, application at > 10 °C is advised;
- Avoid application in case of very thick fog, forthcoming rain;
- Apply with paintbrush, brash, roll or spray;
- Plan periodic maintenance and cleaning;
- Due to its quick drying, it is advisable to keep clean the working tools;
- ECO PRIVER can be diluted with water up to 25%.

Recommended Use

ECO PRIVER is generally employed as dust-proof under-layer and as primer for the application of prefabricated bituminous membranes and during prefabrication as protective element for concrete surfaces. ECO PRIVER can also be used on metallic surfaces. ECO PRIVER is very fluid, brown-coloured, with a good viscosity degree.

Storage


Please store ECO PRIVER indoors and away from frost. It is advisable to use it within 12 months of storage.

Composition	Stabilised bituminous emulsion with additives, vaporizers, thickeners
Product colour	Brown
Dried film colour	Black
Viscosity	At 20°C 6000 CPS
PH	12
Specific weight	1030 gr/lit ± 3%
Dry residue	38% ± 3%
Consumption	From 0,25 to 0,400 kg/m2
Surface drying	At 20°C 60 minutes
Deep drying	180 minutes at 20°C on concrete

Saint-Gobain Iover Italia S.p.A. quality system is certified according to EN ISO 9001.

The items of this technical data sheet are marketed by Saint Gobain PPC Italia. Consequently, the data here indicated have been obtained from the supplier's documents. The products are meant for proper modalities of application and storage and the technical data present in this document are indicative.

Saint Gobain PPC Italia has the right to carry out the changes or variations believed to be proper any time with no need of notice.



Isover Saint-Gobain è socio ordinario del GBC Italia

CODE: STCBE 24
REVISION: 01
DATE: MARCH 2012
PAGE: 1/1



Saint-Gobain PPC Italia S.p.A. – Attività Isover
Headquarters: Via Ettore Romagnoli, 6 – 20146 Milano
Customer Service Bituver: Via G.Pastore, 15 - 66013 Chieti Scalo (CH) - Tel. 0871/599022 - Fax 0871/ 552483
www.bituver.it